

Object Orientation and Program Family

Operating-System Engineering

Object Orientation vs. Program Family

- at first sight it seems as if program families are by-product of object orientation
 - inheritance is a measure to *extend*, *refine*, and *specialize* a set of classes
 - * thus, to reuse interfaces and/or implementations
 - to “extend”, “refine”, and “specialize” are key issues of program families
- but note that object orientation may be employed in quite different ways:

<i>functional emaciation</i> <i>functional enrichment</i>	}	from general- to special-purpose	{	implementation application
--	---	----------------------------------	---	-------------------------------
- only the 2nd case is in one line with the goals of family-based software designs

Functional Emaciation

- customization of a “default implementation” can be achieved using *late binding*
 - interface inheritance enables specialization transparently to clients
 - * problem-aware implementations can be added to a problem-unaware one
 - * less efficient implementations can be replaced by more efficient ones
 - but this does not automatically cause the “replaced” functions to disappear
- late binding is not for free and may entail a certain amount of overhead
 - in terms of: (1) waste of main memory and (2) loss of execution performance
- the problem comes with virtual-function tables and object construction

Late Binding Revisited

```
class Foo {
public:
    Foo ();
    virtual int foo ();
};

class Bar {
public:
    Bar ();
    virtual int bar ();
};

class Foobar : public Foo, public Bar {
    int foo ();
    int bar ();
public:
    Foobar ();
};
```

Virtual-Function Tables

```
__vt_3Foo:
    .long 0
    .long 0
    .long foo__3Foo

__vt_3Bar:
    .long 0
    .long 0
    .long bar__3Bar

__vt_6Foobar: ...
    .long foo__6Foobar

__vt_6Foobar.3Bar: ...
    .long __thunk_4_bar__6Foobar

__thunk_4_bar__6Foobar: ...
    jmp bar__6Foobar
```

```
__6Foobar:  
    pushl %ebx  
    movl 8(%esp),%ebx  
    pushl %ebx  
    call __3Foo  
    leal 4(%ebx),%eax  
    pushl %eax  
    call __3Bar  
    movl $__vt_6Foobar.3Bar,4(%ebx)  
    movl $__vt_6Foobar,(%ebx)  
    addl $8,%esp  
    movl %ebx,%eax  
    popl %ebx  
    ret
```

```
__3Foo:  
    movl 4(%esp),%eax  
    movl $__vt_3Foo,(%eax)  
    ret
```

```
__3Bar:  
    movl 4(%esp),%eax  
    movl $__vt_3Bar,(%eax)  
    ret
```

- the starting point of all evils is object construction at runtime
 - constructors contain code sequences which reference virtual-function tables
 - virtual-function tables contain references to program code¹
- the construction of an object happens from base class to derived class
 - constructors associate the object with a virtual-function table
 - an association made at base-class level may be overwritten at derived levels
 - yet do the overwritten bindings remain existent in terms of program code
- the (static) binder adds all referenced units to the load module before runtime

¹That is, the tables contain references to redefined methods and/or thunks referencing redefined methods.


Object Orientation Considered Harmful?

- an explosion of program size may be the outcome of the sketched problem
 - at runtime unused but, at generation time, referenced units are present

**Less demanding users will be forced to pay
for the resources consumed by the unneeded features**


- this is in contradiction to the concept of family-based software design[3]
- interface inheritance is a typical case of a *non-functional requirement*
 - in a family-based design it needs to be modeled as a separate feature
 - this modeling can be implemented in an object-oriented manner
- object orientation becomes efficient by a supplementing family-based design

Non-Functional Aspect of Interface Inheritance




Adaptor Pattern

- interface and implementation can be patched up using the *adaptor pattern* [1]
 - “convert the interface of a class into another interface clients expect”
- clients are interfaced by an *abstract class*
 - made of “pure virtual functions”
- a **wrapper** uses multiple inheritance
 - specializing the abstract class
 - reusing the implementation class
- manual implementation is (mostly) straightforward—and a case of automation



C++ Adaptor Patterns



Beware of the Design!

Adaptor Patterns (**very overhead-prone**)

C++ ^{2.91} → x86

```
__vt_7aFoobar.4iBar:  
.long -4  
.long 0  
.long __thunk_4_fop__7aFoobar  
.long __thunk_4_bar__7aFoobar
```

```
__vt_7aFoobar:  
.long 0  
.long 0  
.long fop__7aFoobar  
.long foo__7aFoobar  
.long foobar__7aFoobar  
.long fop__7aFoobar_i
```

aFoobar tables

```
...  
movl $__vt_4iFoo, (%eax)  
movl $__vt_4iBar, 4(%eax)  
movl $__vt_7iFoobar, (%eax)  
movl $__vt_7aFoobar.4iBar, 4(%eax)  
movl $__vt_7aFoobar, (%eax)  
...
```

aFoobar construction

```
foobar__7aFoobar:  
movl 4(%esp), %eax  
testl %eax, %eax  
jne .L34  
xorl %eax, %eax  
jmp .L35  
.p2align 4,,7  
.L34:  
addl $8, %eax  
.L35:  
pushl %eax  
call foobar__6Foobar  
addl $4, %esp  
ret
```

adaptor/wrapper

```
__vt_7aFoobar.4iBar:
.long -4
.long __pure_virtual
.long __thunk_4_fop_7aFoobar
.long __thunk_4_bar_7aFoobar
```

```
__vt_7aFoobar:
.long 0
.long __pure_virtual
.long fop_7aFoobar
.long foo_7aFoobar
.long foobar_7aFoobar
.long fop_7aFoobari
```

aFoobar tables

```
...
movl $__vt_7aFoobar, (%eax)
movl $__vt_7aFoobar.4iBar, 4(%eax)
...
```

aFoobar construction

```
fop_7aFoobar:
    addl $8,4(%esp)
    jmp fop_3Fop
foo_7aFoobar:
    addl $8,4(%esp)
    jmp foo_3Foo
bar_7aFoobar:
    addl $9,4(%esp)
    jmp bar_3Bar
foobar_7aFoobar:
    addl $8,4(%esp)
    jmp foobar_6Foobar
fop_7aFoobari:
    addl $9,4(%esp)
    jmp fop_3Fop
```

adaptor/wrapper


Patterns Considered Harmful?

- care must be taken about the consequences a pattern might have
 - sometimes a pattern implementation requires late binding
 - some other time late binding may be left up to the programmer
 - next time late-binding overhead is unacceptable due to the compiler
- design patterns define a trade-off of maintenance and performance
 - software maintenance is improved, development times can be reduced
 - all at the expense of performance, as many patterns imply late binding
- nothing is for free—but system designers must be aware of the effective costs

Patterns as Aspects of Design

- the design decision for late binding is to be postponed as far as possible
 - exploit late binding only when it becomes a functional requirement
 - leave it off from the (hand-made) implementation otherwise
- non-functional and functional features of a design must never be mixed up
 - design patterns are different from implementation patterns
 - the former may be streamlined and the latter may be added *automatically*
- design patterns must not always have counterparts in the implementation
 - “it is the system design which is hierachical, not its implementation” [2]

Program Family Considered Object-Oriented [4]



Summary

- extensible and/or contractible system-software design should be family-based
 - start from a *minimal subset of system functions*
 - perform incremental machine design by stepwise functional enrichment
 - functional enrichment goes hand in hand with *minimal system extensions*
- object orientation supports an efficient implementation of family-based designs
 - encapsulate the minimal subset of system functions by base classes
 - exploit inheritance to achieve functional enrichment, not emaciation
 - encapsulate the minimal system extensions by derived classes
- encapsulate “componentized branches” of the family using abstract classes

Bibliography

- [1] E. Gamma, R. Helm, R. E. Johnson, and J. Vlissides. *Design Patterns: Elements of Reusable Object-Oriented Software*. Addison-Wesley, Reading, MA, 1995. ISBN 0-201-63361-2.
- [2] A. N. Habermann, L. Flon, and L. Coopride. Modularization and Hierarchy in a Family of Operating Systems. *Communications of the ACM*, 19(5):266–272, 1976.
- [3] D. L. Parnas. Designing Software for Ease of Extension and Contraction. *IEEE Transactions on Software Engineering*, SE-5(2):128–138, 1979.
- [4] W. Schröder-Preikschat. *The Logical Design of Parallel Operating Systems*. Prentice Hall International, 1994. ISBN 0-13-183369-3.